



JHALANI EXTRUSION


(A UNIT OF P.R.C.M. METAL)

C-36, Riico Industrial Area, Neemrana, District : Alwar, (Raj.) 301705

Contact : 9716031516, 09953239231 E-Mail : jhalaniextrusion@yahoo.com

ANGLE, RODS, PIPE AND BARS

GEOMETRICAL




ROD

SR. NO.	SEC. NO.	A	WEIGHT/12'
1	1101	6.00	0.280-0.300
2	1102	8.90	0.615-0.650
3	1103	9.30	0.655-0.680
4	1104	10.90	0.920-0.950
5	1105	9.60	0.715-0.750
6	1106	9.90	0.760-0.780
7	1107	11.00	0.938-0.950
8	1108	11.60	1.450-1.080
9	1109	10.50	0.855-0.900
10	1110	11.20	0.975-1.00
11	1111	11.80	1.080-1.100
12	1112	13.70	1.450-1.475
13	1113	16.70	2.150-2.200
14	1114	14.60	1.650-1.700
15	1115	15.50	1.863-1.900
16	1116	12.20	1.150-1.200
17	1117	17.50	2.375-2.400
18	1118	16.00	1.985-2.050
19	1119	6.40	0.300-0.350
20	1120	6.90	0.370-0.400
21	1121	7.50	0.435-0.470
22	1122	7.95	0.500-0.540
23	1123	8.50	0.560-0.600
24	1124	13.00	1.300-1.330
25	1125	13.50	1.400-1.445
26	1126	14.30	1.580-1.610



ANGLE, RODS, PIPE AND BARS

GEOMETRICAL




FLAT BAR

SR. NO.	SEC. NO.	A	B	WEIGHT/12'
1	1000	25.00	5.00	1.235
2	1001	19.00	6.00	1.126
3	1002	50.00	10.00	4.941
4	1003	100.00	10.00	9.882
5	1004	50.00	12.00	5.929
6	1005	12.70	5.00	0.627
7	1006	30.00	10.00	2.964
8	1007	25.00	6.00	1.482
9	1008	48.00	5.00	2.371
10	1009	100.00	6.00	5.929
11	1010	125.00	10.00	12.352
12	1011	80.00	10.00	7.905
13	1012	25.00	2.00	0.4941
14	1013	65.00	12.00	7.707
15	1014	65.00	10.00	6.423
16	1015	40.00	6.00	2.371
17	1016	60.00	6.00	3.557
18	1017	40.00	10.00	3.952
19	1018	125.00	12.00	14.823
20	1019	20.00	10.00	1.976
21	1020	100.00	12.00	11.858
22	1021	25.00	10.00	2.47
23	1022	60.00	10.00	5.929
24	1023	13.00	11.00	1.413
25	1024	150.00	6.00	8.893
26	1025	38.00	4.50	1.689




ANGLE, RODS, PIPE AND BARS

GEOMETRICAL



FLAT BAR

SR. NO.	SEC. NO.	A	B	WEIGHT/12'
27	1026	125.00	6.00	7.411
28	1027	80.00	6.00	4.743
29	1028	50.00	6.00	2.964
30	1029	150.00	10.00	14.823
31	1030	36.00	6.00	2.134
32	1031	75.00	6.00	4.446
33	1032	17.00	4.00	0.671




SQUARE BAR

SR. NO.	SEC. NO.	A	WEIGHT/12'
1	1050	6.35	0.400-0.600
2	1051	9.00	0.800-1.00
3	1052	10.00	0.988-1.100
4	1053	15.00	2.225-2.400
5	1054	20.00	3.950-4.100
6	1055	25.00	6.176-6.400




ANGLE, RODS, PIPE AND BARS

GEOMETRICAL



HEXA-ROD

SR. NO.	SEC. NO.	A	WEIGHT/12'
1	1172	12.70	1.375-1.475
2	1173	19.00	3.00-3.100
3	1174	18.00	2.80-2.90
4	1175	17.80	2.70-2.80
5	1176	17.50	2.60-2.70
6	1177	22.00	4.10-4.20
7	1178	24.00	4.90-5.00
8	1179	27.00	6.20-6.30
9	1180	22.00	4.10-4.20




FRUTED ROUND PIPE

SR. NO.	SEC. NO.	A	B	T	WEIGHT/12'
1	1451	15.00	9.20	2.50	0.90-1.10
2	1452	19.00	17.50	0.75	0.50-0.70
3	1453	25.00	23.60	0.70	0.55-0.70
4	1454	28.00	26.40	0.80	0.90-1.00
5	1455	28.00	26.60	0.70	0.80-0.90



ANGLE, RODS, PIPE AND BARS

GEOMETRICAL




ROUND PIPE

SR. NO.	SEC. NO.	A	T	WEIGHT/12'
1	1401	11.00	1.00	0.310-0.500
2	1402	12.00	1.00	0.340-0.370
3	1403	21.00	2.00	1.180-1.300
4	1404	24.80	1.00	0.740-0.850
5	1405	24.80	1.40	1.00-1.200
6	1406	25.00	1.10	0.815-1.050
7	1407	25.00	1.70	1.300-1.500
8	1408	19.00	1.50	0.815-1.00
9	1409	19.00	2.00	1.055-1.300
10	1410	30.00	1.10	1.00-1.20
11	1411	30.00	1.50	1.30-1.50
12	1412	30.00	1.70	1.50-1.70
13	1413	50.00	1.60	2.40-2.70
14	1414	50.00	2.00	2.980-3.20
15	1415	60.30	1.50	2.740-3.00
16	1416	76.00	1.27	2.950-3.150
17	1417	22.20	1.20	1.20-1.30
18	7019	12.00	1.70	0.465
19	7020	15.00	1.75	0.680
20	7005	14.70	1.10	0.490
21	7005	14.70	1.20	0.560
22	7064	25.00	0.65	0.600
23	7065	38.00	0.70	0.750
24	7082	20.70	4.00	2.060



ANGLE, RODS, PIPE AND BARS

GEOMETRICAL




ROUND PIPE

SR. NO.	SEC. NO.	A	T	WEIGHT/12'
25	7102	22.00	0.75	0.480
26	7107	9.00	0.65	0.160
27	7107	9.00	0.55	0.145
28	7119	16.70	0.75	0.350
29	7137	45.00	3.00	3.870
30	7167	10.50	1.80	0.475
31	7244	30.00	1.00	0.790
32	7244	30.00	0.54	0.500
33	7295	18.00	1.00	0.765
34	7317	42.00	1.60	2.120
35	6099	162.00	5.00	
36	6125	82.00	3.00	12.245
37	NS-53	84.50	2.00	5.720



ANGLE, RODS, PIPE AND BARS

GEOMETRICAL



EQUAL ANGLE

SR. NO.	SEC. NO.	A	T	WEIGHT/12'
1	2001	19.00	2.00	0.700-0.90
2	2002	25.00	2.00	0.950-1.100
3	2003	25.00	2.50	1.175-1.300
4	2004	25.00	3.00	1.400-1.600
5	2005	30.00	3.00	1.690-1.900
6	2006	30.00	3.50	1.955-2.200
7	2007	38.00	2.00	1.450-1.700
8	2008	38.00	2.50	1.800-1.950
9	2009	38.00	3.20	2.330-2.500
10	2010	38.00	4.00	2.850-3.00
11	2011	38.00	5.00	3.500-3.700
12	2012	40.00	3.00	2.280-2.500
13	2013	40.00	4.00	3.00-3.300
14	2014	50.00	3.00	2.873-3.00
15	2015	50.00	4.00	3.79-3.90
16	2016	50.00	5.00	4.695-4.900
17	2017	75.00	3.80	4.500-4.800



ANGLE, RODS, PIPE AND BARS

GEOMETRICAL




UNEQUAL ANGLE

SR. NO.	SEC. NO.	A	B	T	WEIGHT/12'
1	2101	38.00	25.00	2.00	1.20-1.350
2	2102	38.00	25.00	3.00	1.77-2.00
3	2103	38.00	25.00	4.00	2.300-2.50
4	2104	38.00	25.00	4.50	2.50-2.70
5	2105	50.00	25.00	3.00	2.10-2.40
6	2106	53.00	16.00	1.75	1.10-1.40
7	2107	60.00	40.00	2.00	1.90-2.20
8	2108	75.00	50.00	6.00	7.00-7.30



DOOR SECTION

ARCHITECTURAL




SINGLE PARTITION

SR. NO.	SEC. NO.	A	B	T	D	WEIGHT/15'
1	2500	50.80	25.40	0.91	7.50	1.85-2.30
2	2501	50.80	25.40	1.09	7.50	2.20-2.50
3	2502	50.80	25.40	1.30	7.50	2.60-3.00
4	2503	63.50	38.10	0.92	7.50	2.50-2.70
5	2504	63.50	38.10	1.01	7.50	2.70-3.10
6	2505	63.50	38.1000	1.31	8.00	3.40-3.60
7	2506	63.50	38.10	1.50	8.00	3.80-4.10
8	2507	63.50	38.10	1.65	8.00	4.20-4.60
9	2508	63.50	38.10	1.90	8.00	4.70-5.10
10	2509	63.50	38.10	2.25	8.00	5.60-6.00
11	2510	63.50	38.10	2.85	8.00	6.80-7.10
12	2511	63.50	38.10	3.00	8.00	7.80-8.20
13	2512	82.50	38.00	1.50	8.00	4.80-5.30
14	2513	82.50	38.00	3.00	8.00	8.70-9.20
15	2525	92.00	45.00	1.44	8.00	4.80-5.30
16	2524	89.00	32.00	2.75	23.00	8.80-9.50
17	2531	101.60	44.45	1.27	8.00	4.80-5.10
18	2532	101.60	44.45	1.45	8.00	5.50-6.00
19	2533	101.60	44.45	1.55	8.00	6.00-6.50
20	2534	101.60	44.45	1.85	8.00	6.80-7.10
21	2535	101.60	44.45	2.25	8.00	8.50-9.10
22	2536	101.60	44.45	2.95	8.00	10.50-11.00
23	2550	127.00	44.45	2.00	8.00	8.80-9.50



DOOR SECTION

ARCHITECTURAL




SINGLE PARTITION

SR. NO.	SEC. NO.	A	B	T	D	WEIGHT/15'
24	2551	127.00	44.45	2.50	8.00	10.50-11.00
25	2552	127.00	44.45	3.00	8.00	12.40-13.00
26	2555	89.00	32.00	2.00	7.80	6.30-6.60
27	2556	94.00	38.00	1.20	7.80	4.80-5.00



DOOR SECTION

ARCHITECTURAL




DOUBLE PARTITION

SR. NO.	SEC. NO.	A	B	T	D	WEIGHT/15'
1	2600	50.80	25.40	0.79	7.50	1.85-2.30
2	2601	50.80	25.40	1.19	7.50	2.20-2.50
3	2602	50.80	25.40	1.34	7.50	2.60-3.00
4	2603	63.50	38.10	0.83	7.50	2.50-2.70
5	2604	63.50	38.10	0.92	7.50	2.70-3.10
6	2605	63.50	38.10	1.21	8.00	3.40-3.60
7	2606	63.50	38.10	1.35	8.00	3.80-4.10
8	2607	63.50	38.10	1.53	8.00	4.20-4.60
9	2608	63.50	38.10	1.85	8.00	4.70-5.10
10	2609	63.50	38.10	2.15	8.00	5.60-6.00
11	2610	63.50	38.10	2.81	8.00	6.80-7.10
12	2611	63.50	38.10	2.95	8.00	7.80-8.20
13	2612	82.50	38.00	1.52	8.00	4.80-5.30
14	2613	82.50	38.00	2.75	8.00	8.70-9.20
15	2624	92.00	45.00	1.40	8.00	4.80-5.30
16	2625	89.00	32.00	2.67	23.00	8.80-9.50
17	2631	101.60	44.45	1.25	8.00	4.80-5.10
18	2632	101.60	44.45	1.42	8.00	5.50-6.00
19	2633	101.60	44.45	1.51	8.00	6.00-6.50
20	2634	101.60	44.45	1.80	8.00	6.80-7.10
21	2635	101.60	44.45	2.20	8.00	8.50-9.10
22	2636	101.60	44.45	2.90	8.00	10.50-11.00
23	2650	127.00	44.45	1.95	8.00	8.80-9.50
24	2651	127.00	44.45	2.45	8.00	10.50-11.00



DOOR SECTION

ARCHITECTURAL




DOUBLE PARTITION

SR. NO.	SEC. NO.	A	B	T	D	WEIGHT/15'
25	2652	127.00	44.45	2.95	8.00	12.40-13.00
26	2655	89.00	32.00	2.00	7.80	6.30-6.60
27	6008	150.00	44.45	3.00	7.20	14.50-14.80
28	6041	127.00	44.00	2.00	7.20	8.80-9.20
29	6043	127.00	44.00	3.00	7.20	12.80-13.20



DOOR SECTION

ARCHITECTURAL




DOOR MIDDLE SINGLE

SR. NO.	SEC. NO.	A	B	T	WEIGHT/15'
1	2750	47.00	44.00	1.25	2.30-2.60
2	2751	47.00	44.00	1.38	2.70-3.00
3	2752	47.00	44.00	1.73	3.70-4.00
4	2753	47.00	44.00	2.23	4.70-5.00
5	2754	47.00	44.00	3.10	6.80-7.30
6	2801	83.00	44.00	1.59	4.70-5.00
7	2802	83.00	44.00	1.75	5.00-5.50
8	2803	83.00	44.00	1.98	5.80-6.10
9	2804	83.00	44.00	2.20	6.50-7.10
10	2805	83.00	44.00	3.00	9.50-9.80



DOOR SECTION

ARCHITECTURAL



DOOR MIDDLE DOUBLE

SR. NO.	SEC. NO.	A	B	T	WEIGHT/15'
1	2702	47.00	44.00	1.25	2.40-2.70
2	2703	47.00	44.00	1.30	2.70-3.00
3	2704	47.00	44.00	1.35	3.00-3.30
4	2705	47.00	44.00	1.45	3.30-3.60
5	2706	47.00	44.00	1.80	3.70-4.00
6	2707	47.00	44.00	2.20	4.70-5.10
7	2708	47.00	44.00	3.10	6.80-7.30
8	2806	83.00	44.00	1.40	4.70-5.00
9	2807	83.00	44.00	1.55	5.00-5.50
10	2808	83.00	44.00	1.98	5.80-6.10
11	2809	83.00	44.00	2.20	6.80-7.10
12	2810	83.00	44.00	3.03	9.50-9.80



JHALANI EXTRUSION


(A UNIT OF P.R.C.M. METAL)

C-36, Riico Industrial Area, Neemrana, District : Alwar, (Raj.) 301705

Contact : 9716031516, 09953239231 E-Mail : jhalaniextrusion@yahoo.com

DOOR SECTION

ARCHITECTURAL



DOOR VERTICAL

SR. NO.	SEC. NO.	A	B	T	WEIGHT/15'
1	2760	47.00	44.00	1.00	2.50-2.70
2	2761	47.00	44.00	1.10	2.70-3.00
3	2762	47.00	44.00	1.30	3.00-3.30
4	2763	47.00	44.00	1.45	3.30-3.60
5	2764	47.00	44.00	1.60	3.70-4.00
6	2765	47.00	44.00	2.00	4.70-5.00
7	2766	47.00	44.00	3.00	6.70-7.00
8	2816	83.00	44.00	1.45	4.70-5.00
9	2817	83.00	44.00	1.65	5.50-6.50
10	2818	83.00	44.00	1.80	6.00-6.50
11	2819	83.00	44.00	2.10	6.80-7.10
12	2820	83.00	44.00	2.85	9.50-10.30



JHALANI EXTRUSION


(A UNIT OF P.R.C.M. METAL)

C-36, Riico Industrial Area, Neemrana, District : Alwar, (Raj.) 301705

Contact : 9716031516, 09953239231 E-Mail : jhalaniextrusion@yahoo.com

DOOR SECTION

ARCHITECTURAL




DOOR BOTTOM

SR. NO.	SEC. NO.	A	B	T	WEIGHT/15'
1	2770	47.00	44.00	1.10	2.50-2.70
2	2771	47.00	44.00	1.15	2.70-3.00
3	2772	47.00	44.00	1.30	3.00-3.30
4	2773	47.00	44.00	1.40	3.30-3.60
5	2774	47.00	44.00	1.65	3.70-4.00
6	2775	47.00	44.00	2.00	4.60-5.00
7	2776	47.00	44.00	2.95	6.70-7.10
8	2811	83.00	44.00	1.50	4.70-5.00
9	2812	83.00	44.00	2.15	6.70-7.00
10	2813	83.00	44.00	3.00	9.50-10.00
11	2821	114.00	44.00	1.15	4.70-5.00
12	2822	114.00	44.00	1.30	5.30-5.60
13	2823	114.00	44.00	1.54	5.60-6.00
14	2824	114.00	44.00	1.70	6.70-7.00
15	2825	114.00	44.00	2.27	8.50-9.00
16	2826	114.00	44.00	2.55	10.00-10.50



DOOR SECTION

ARCHITECTURAL



DOOR BOTTOM SINGLE LEG

SR. NO.	SEC. NO.	A	B	T	WEIGHT/15'
1	2731	47.00	44.00	1.10	2.90-3.30
2	2732	47.00	44.00	1.40	3.50-3.80
3	2733	47.00	44.00	1.65	3.80-4.00
4	2734	47.00	44.00	1.45	4.50-5.00
5	2735	47.00	44.00	2.90	6.50-7.00
6	2740	83.00	44.00	1.45	4.70-5.00
7	2741	83.00	44.00	2.10	6.50-7.00
8	2742	83.00	44.00	3.00	9.20-9.50
9	2742	75.00	44.00	3.00	8.00-8.40



JHALANI EXTRUSION


(A UNIT OF P.R.C.M. METAL)

C-36, Riico Industrial Area, Neemrana, District : Alwar, (Raj.) 301705

Contact : 9716031516, 09953239231 E-Mail : jhalaniextrusion@yahoo.com

DOOR SECTION

ARCHITECTURAL



RECTENGULAR TUBE

SR. NO.	SEC. NO.	A	B	T	WEIGHT/15'
1	8398	25.00	12.00		1.00
2	1510	30.00	20.00	1.20	1.100-1.300
3	1511	30.00	20.00	1.60	1.480-1.650
4	7021	33.50	23.50	0.60	0.600
5	1504	35.00	15.00		1.850
6	7021	36.50	23.50	1.00	1.100
7	7365	37.00	25.60	0.95	1.040
8	1527	38.00	25.00	1.00	1.200-1.400
9	1528	38.00	25.00	1.25	1.500-1.700
10	1529	38.00	25.00	1.80	2.100-2.300
11	1530	38.00	25.00	2.50	2.860-3.100
12	1531	38.00	25.00	3.00	3.400-3.700
13	1520	40.00	20.00	1.50	1.700-1.900
14	1520	40.00	20.00	3.00	3.200-3.500
15	7366	48.10	24.30	0.95	1.230
16	1515	50.00	20.00	1.20	1.600-1.900
17	1516	50.00	25.00	1.50	2.000-2.500
18	1517	50.00	38.00		1.950
19	1536	50.00	25.00	0.90	1.300-1.500
20	1537	50.00	25.00	1.20	1.700-2.100
21	1538	50.00	25.00	1.8000	2.500-2.800
22	1539	50.00	25.00	2.35	3.200-3.500
23	1540	50.00	25.00	3.00	4.000-4.500
24	8536	50.00	12.00		1.100
25	1581	55.58	15.88	2.80	4.000-4.300
26	7356	62.40	28.40	1.20	2.156
27	1550	63.00	38.00	0.80	1.500-1.700
28	1551	63.00	38.00	0.95	1.700-2.000



JHALANI EXTRUSION

(A UNIT OF P.R.C.M. METAL)

C-36, Riico Industrial Area, Neemrana, District : Alwar, (Raj.) 301705

Contact : 9716031516, 09953239231 E-Mail : jhalaniextrusion@yahoo.com

DOOR SECTION

ARCHITECTURAL

SR. NO.	SEC. NO.	A	B	T	WEIGHT/15'
29	1552	63.00	38.00	2.50	4.750-5.000
30	1572	63.00	38.00	1.80	3.500-3.800
31	1573	63.00	38.00	2.50	4.750-5.000
32	1583	63.00	20.00		4.500
33	1584	63.00	25.00		1.600
34	1565	75.00	25.00	2.00	3.800-4.100
35	1585	75.00	12.00		2.300
36	1586	75.00	38.00		4.400
37	8516	75.00	50.00		4.750
38	1575	80.00	20.00	2.00	3.800-4.000
39	1576	80.00	50.00	2.00	5.000-5.300
40	1577	80.00	50.00	3.00	7.000-7.400
41	8036	83.00	38.00		4.700
42	1568	92.00	49.00	1.50	4.100-4.500
43	1563	95.00	49.00	2.00	3.950-4.300
44	1564	96.00	19.00		3.350
45	1518	100.00	50.00	1.50	4.350-4.700
46	1519	100.00	50.00	3.00	8.500-8.800
47	1560	100.00	25.00	1.50	3.600-3.900
48	1561	100.00	25.00	2.50	5.900-6.300
49	1562	100.00	25.00	3.00	7.000-7.300
50	1587	100.00	62.00	0.00	12.500
51	1588	100.00	15.00	0.00	4.500
52	1589	100.00	35.00	0.00	3.900
53	1575	101.00	45.00	1.60	4.500-4.800
54	1576	101.00	45.00	2.00	5.600-5.900
55	1577	101.00	45.00	2.50	7.000-7.300
56	1578	101.00	45.00	3.30	9.000-9.500
57	1512	125.00	45.00	1.80	6.000-6.300
58	1582	125.00	20.00	4.00	10.800-11.500
59	6207	125.00	75.00	2.00	7.747
60	6235	125.00	50.00	2.00	6.700
61	6241	125.00	62.00	2.00	7.000
62	1513	127.00	45.00	2.30	7.000-7.300



JHALANI EXTRUSION

(A UNIT OF P.R.C.M. METAL)

C-36, Riico Industrial Area, Neemrana, District : Alwar, (Raj.) 301705

Contact : 9716031516, 09953239231 E-Mail : jhalaniextrusion@yahoo.com

DOOR SECTION

ARCHITECTURAL

SR. NO.	SEC. NO.	A	B	T	WEIGHT/15'
63	1514	127.00	45.00	3.30	10.450-10.800
64	6006	127.00	44.00	3.00	10.100
65	6044	150.00	50.00	2.00	7.500
66	15025	150.00	25.00	2.0000	6.600



JHALANI EXTRUSION


(A UNIT OF P.R.C.M. METAL)

C-36, Riico Industrial Area, Neemrana, District : Alwar, (Raj.) 301705

Contact : 9716031516, 09953239231 E-Mail : jhalaniextrusion@yahoo.com

DOOR SECTION

ARCHITECTURAL



SQUARE TUBE

SR. NO.	SEC. NO.	A	T	WEIGHT/12'
1	1575	13.00	3.50	1.18-1.35
2	1576	15.00	1.00	0.55-0.65
3	1577	15.00	2.00	0.80-1.00
4	1578	19.00	1.15	0.80-1.00
5	1579	19.00	1.50	1.05-1.20
6	1580	25.00	1.50	1.40-1.60
7	1581	25.00	2.00	1.80-2.00
8	1582	40.00	2.00	3.00-3.20
9	1583	40.00	2.50	3.70-3.90
10	1584	50.00	1.60	3.00-3.30
11	1585	50.00	2.00	3.80-4.00
12	1586	50.00	3.00	5.57-5.75
13	1587	50.00	4.00	7.25-7.50
14	1588	75.00	3.00	8.60-9.00
15	1589	38.00	1.20	1.40-1.60



JHALANI EXTRUSION


(A UNIT OF P.R.C.M. METAL)

C-36, Riico Industrial Area, Neemrana, District : Alwar, (Raj.) 301705

Contact : 9716031516, 09953239231 E-Mail : jhalaniextrusion@yahoo.com

DOOR SECTION

ARCHITECTURAL



STRUCTURE GLAZING

SR. NO.	SEC. NO.	A	B	C	T	WEIGHT/15'
1	4005	50.00	50.00	6.00	1.30	3.40-3.70
2	4006	50.00	50.00	6.00	2.00	4.80-5.20
3	4007	50.00	50.00	8.00	1.30	3.40-3.70
4	4008	50.00	50.00	8.00	2.00	4.80-5.20
5	4010	65.00	58.00	6.00	1.50	4.50-4.80
6	4011	65.00	58.00	8.00	2.00	4.50-4.80
7	4015	83.00	50.00	5.00	1.50	4.80-5.10
8	4016	83.00	50.00	7.00	1.50	4.80-5.10
9	4017	83.00	50.00	10.00	1.50	5.00-5.50
10	4018	83.00	50.00	28.00	2.00	6.80-7.30
11	4021	100.00	55.00	5.00	1.80	6.80-7.30
12	4022	100.00	55.00	12.00	1.80	6.90-7.50
13	4023	100.00	55.00	12.00	2.40	9.50-10.00
14	4024	100.00	55.00	12.00	3.45	13.00-13.50
15	1320	44.50	101.60	12.70	2.50	7.10-7.50
16	1321	44.50	101.60	12.70	3.00	9.10-9.50



JHALANI EXTRUSION

(A UNIT OF P.R.C.M. METAL)


C-36, Riico Industrial Area, Neemrana, District : Alwar, (Raj.) 301705

Contact : 9716031516, 09953239231 E-Mail : jhalaniextrusion@yahoo.com

DOOR SECTION

ARCHITECTURAL


SINGLE PATAM SECTION



SEC. NO.	A	B	T	WEIGHT/12'
5052	123.75	38.80	1.65	4.00-4.30
5050	123.75	38.80	3.00	7.30-7.80


SEC. NO. : 5061

SINGLE PATTAM SECTION



WEIGHT. : 12.80-13.50 / 12'

ROUGH GROUND



SEC. NO.	A	B	T	WEIGHT/12'
JE-289	50.00	12.00	1.40	1.90-2.20
JE-189	30.00	15.00	1.00	1.10-1.30



JHALANI EXTRUSION

(A UNIT OF P.R.C.M. METAL)


C-36, Riico Industrial Area, Neemrana, District : Alwar, (Raj.) 301705
Contact : 9716031516, 09953239231 E-Mail : jhalaniextrusion@yahoo.com

DOOR SECTION

ARCHITECTURAL

SEC. NO. : 8579


MATCHING WITH 8580



WEIGHT. : 6.000 / 15'

SEC. NO. : 8580

MATCHING WITH 8579




WEIGHT. : 3.970 / 15'



DOOR SECTION

ARCHITECTURAL


DOUBLE PATAM SECTION



SEC. NO.	A	B	T	WEIGHT/12'
5051	123.75	57.00	1.60	6.30-6.80
5049	123.75	57.00	3.00	11.80-12.30

SEC. NO. : 5065

DOUBLE PATTAM SECTION




WEIGHT. : 14.40-14.80 / 12'



DOOR SECTION


ARCHITECTURAL

SINGLE PARTITION LEG



SEC. NO.	A	B	T	WEIGHT/15'
2401	63.50	49.50	1.30	4.50-4.80
2402	63.50	49.50	1.60	5.00-5.50
2403	63.50	49.50	2.00	6.20-6.50
2404	63.50	49.50	2.50	7.80-8.30


FLUSH DOOR



SEC. NO.	A	B	T	WEIGHT/15'
14050	63.50	38.00	1.50	3.60-4.00
14060	63.50	38.00	1.80	4.50-4.90
14070	63.50	38.00	2.50	5.90-6.30
14080	45.00	24.00	1.10	1.70-2.00
14090	45.00	24.00	1.50	2.50-2.80
14100	101.00	45.50	3.00	10.80-11.80


SEC. NO. : 5001

GLASS SECTION




WEIGHT. : 10.50-11.00 KG / 15'

SEC. NO. : 1010



WEIGHT. : 2.40-2.60 KG / 15'

L-PIPE




SEC. NO.	A	B	T	WEIGHT/12'
11007	55.55	45.45	0.68	1.30-1.60
11008	38.00	24.00	0.70	0.800-1.00
11009	38.00	24.00	0.95	1.10-1.30



DOOR SECTION


ARCHITECTURAL

SEC. NO. : 5001




WEIGHT. : 2.50-3.00 / 12'

SEC. NO. : JD-100



WEIGHT. : 5.70-6.00 / 12'

SEC. NO. : JD-110



WEIGHT. : 5.70-6.00 / 12'



JHALANI EXTRUSION

(A UNIT OF P.R.C.M. METAL)


C-36, Riico Industrial Area, Neemrana, District : Alwar, (Raj.) 301705

Contact : 9716031516, 09953239231 E-Mail : jhalaniextrusion@yahoo.com

DOOR SECTION

ARCHITECTURAL

SEC. NO. : 6232



WEIGHT. : 5.600 / 12'




SLIDING SECTION

ARCHITECTURAL


18 MM SLIDING WINDOW SECTION SERIES

2T BOTTOM




SEC. NO.	A	B	T	WEIGHT/12'
3070	61.60	31.50	0.90	1.80-2.30
3071	61.60	31.50	1.30	2.30-2.50
3072	61.60	31.50	1.50	2.50-3.00

2T TOP




SEC. NO.	A	B	T	WEIGHT/12'
3040	61.60	31.50	0.90	1.80-2.30
3041	61.60	31.50	1.25	2.30-2.50
3042	61.60	31.50	1.50	2.50-3.00

3T BOTTOM



SEC. NO.	A	B	T	WEIGHT/12'
4030	92.00	31.50	0.70	2.40-3.00
4031	92.00	31.50	1.00	3.00-3.50
4032	92.00	31.50	1.10	3.60-4.00
4043	98.00	31.50	2.80	4.80-5.200

3T TOP



SEC. NO.	A	B	T	WEIGHT/12'
3080	92.00	31.50	0.90	2.80-3.00
3081	92.00	31.50	1.00	3.00-3.50
3082	92.00	31.50	1.10	3.50-4.00
3090	98.00	31.50	2.80	4.00-4.50




SLIDING SECTION

ARCHITECTURAL

18 MM SLIDING WINDOW SECTION SERIES


INTER LOCK



SEC. NO.	T	WEIGHT/12'
3010	0.80	1.250-1.50
3011	1.10	1.70-1.90
3012	1.30	2.00-2.20
3013	1.45	2.20-2.50
3014	2.00	3.10-3.30

SEC. NO. : JE-3011


SINGLE TRACK TOP



WEIGHT. : 1.50-1.60 KG / 12'


SEC. NO. : JE-3021

SINGLE TRACK BOTTOM




WEIGHT. : 1.50-1.60 KG / 12'

HANDLE



SEC. NO.	T	WEIGHT/12'
3018	0.65	0.85-1.00
3019	0.95	1.20-1.40
3020	1.25	1.50-1.70
3021	1.55	2.00-2.40
3022	2.00	2.50-2.80

TOP BOTTOM



SEC. NO.	T	WEIGHT/12'
3026	0.65	0.85-1.00
3027	0.95	1.20-1.40
3028	1.25	1.50-1.70
3029	1.55	2.00-2.40
3030	2.00	2.70-2.90




SLIDING SECTION

ARCHITECTURAL


18 MM SLIDING WINDOW SECTION SERIES

TOP BOTTOM (SINGLE LEG)




SEC. NO.	T	WEIGHT/12'
3005	1.09	1.30-1.60

SEC. NO. : 9973




WEIGHT. : 1.200-1.40 KG / 12'

SEC. NO. : 3066




WEIGHT. : 3.20-3.50 KG / 12'

SEC. NO. : 3095




WEIGHT. : 4.60-5.00 KG / 12'

SEC. NO. : 3055



WEIGHT. : 3.20-3.50 KG / 12'

SEC. NO. : 3096



WEIGHT. : 5.00-5.30 KG / 12'



JHALANI EXTRUSION

(A UNIT OF P.R.C.M. METAL)


C-36, Riico Industrial Area, Neemrana, District : Alwar, (Raj.) 301705
Contact : 9716031516, 09953239231 E-Mail : jhalaniextrusion@yahoo.com

SLIDING SECTION

ARCHITECTURAL


18 MM SLIDING WINDOW SECTION SERIES

SEC. NO. : JE-5001



WEIGHT. : 6.70-7.00 KG / 12'

SEC. NO. : JE-5002




WEIGHT. : 7.70-8.00 KG / 12'




SLIDING SECTION

ARCHITECTURAL

20 MM SLIDING WINDOW SECTION SERIES




SEC. NO.	A	B	T	WEIGHT/12'
3045	62.00	29.50	0.90	1.80-2.00
3046	62.00	29.50	1.25	2.40-2.80




SEC. NO.	A	B	T	WEIGHT/12'
3065	62.00	29.50	0.85	2.00-2.30
3066	62.00	29.50	1.20	2.40-2.80

SEC. NO. : 3085




WEIGHT. : 2.40-2.80 KG / 12'

SEC. NO. : 4045




WEIGHT. : 2.80-3.10 KG / 12'

SEC. NO. : 3310



WEIGHT. : 1.20-1.50 KG / 12'

SEC. NO. : 3210



WEIGHT. : 1.40-1.60 KG / 12'




SLIDING SECTION

ARCHITECTURAL

20 MM SLIDING WINDOW SECTION SERIES


SEC. NO. : 3015



WEIGHT. : 1.20-1.50 KG / 12'


25 MM SLIDING WINDOW SECTION SERIES

SEC. NO. : 4088




WEIGHT. : 9.00-9.30 KG / 12'

SEC. NO. : 4088




WEIGHT. : 6.80-7.30 KG / 12'

SEC. NO. : 3115



WEIGHT. : 4.50-4.80 KG / 12'

SEC. NO. : 3315



WEIGHT. : 4.50-4.80 KG / 12'




SLIDING SECTION

ARCHITECTURAL


25 MM SLIDING WINDOW SECTION SERIES

SEC. NO. : 3215




WEIGHT. : 3.00-3.50 KG / 12'

SEC. NO. : 3085




WEIGHT. : 6.50-6.70 KG / 12'

SEC. NO. : 3086




WEIGHT. : 6.70-6.90 KG / 12'

SEC. NO. : 3052




WEIGHT. : 7.20-7.50 KG / 12'

SEC. NO. : 3095



WEIGHT. : 4.80-5.20 KG / 12'

SEC. NO. : 3053



WEIGHT. : 7.20-7.50 KG / 12'




SLIDING SECTION

ARCHITECTURAL


25 MM SLIDING WINDOW SECTION SERIES

SEC. NO. : 3094




WEIGHT. : 4.80-5.20 KG / 12'

SEC. NO. : 4056




WEIGHT. : 2.20-2.40 KG / 12'


SEC. NO. : 4066




WEIGHT. : 2.20-2.40 KG / 12'



SEC. NO.	A	B	T	WEIGHT/12'
3116	43.00	25.00	1.25	2.20-2.50
3117	50.00	22.00	1.25	2.20-2.50



SEC. NO.	A	B	T	WEIGHT/12'
3316	50.00	25.00	1.20	1.80-2.20
3317	50.00	22.00	1.20	1.80-2.10
3318	43.00	25.00	1.25	1.90-2.30



SEC. NO.	A	B	T	WEIGHT/12'
3216	60.00	25.00	1.25	2.30-2.50
3217	60.00	22.00	1.25	2.10-2.30
3218	50.00	25.00	1.35	2.00-2.40




SLIDING SECTION

ARCHITECTURAL


25 MM MOULDING SLIDING SERIES

HANDLE




SEC. NO.	A	B	T	WEIGHT/12'
3219	66.00	26.00	1.40	2.20-2.40
3220	66.00	26.00	1.60	3.00-3.20

CENTER




SEC. NO.	A	B	T	WEIGHT/12'
3223	56.00	26.00	1.40	2.20-2.40
3222	56.00	26.00	1.60	3.00-3.20

TOP BOTTOM SINGLE LEG



SEC. NO.	A	B	T	WEIGHT/12'
3221	56.00	26.00	1.20	2.20-2.40
3222	56.00	26.00	1.40	3.00-3.20

TOP BOTTOM



SEC. NO.	A	B	T	WEIGHT/12'
3226	56.00	26.00	1.40	2.20-2.40
3226	56.00	26.00	1.60	3.00-3.20




SLIDING SECTION

ARCHITECTURAL

63 MM SLIDING SERIES

SEC. NO. : 4051


HANDLE



WEIGHT. : 2.050-2.250 KG / 12'

SEC. NO. : 4054


TOP BOTTOM SINGLE LEG



WEIGHT. : 2.00-2.200 KG / 12'

SEC. NO. : 4053


TOP BOTTOM



WEIGHT. : 2.100-2.300 KG / 12'

SEC. NO. : 4052

MIDDLE




WEIGHT. : 2.350-2.500 KG / 12'



CASEMENT WINDOW SECTION


ARCHITECTURAL

BIG HOLLOW - Z



SEC. NO.	A	B	T	WEIGHT/12'
3340	36.00	57.00	1.57	3.00-3.30
3341	36.00	57.00	1.80	3.40-3.80
3342	36.00	57.00	2.00	3.80-4.10
3343	36.00	57.00	2.50	4.80-5.00
3344	36.00	57.00	3.00	6.00-6.50


BIG MULLION



SEC. NO.	A	B	T	WEIGHT/12'
3350	61.20	50.00	1.50	3.00-3.60
3351	61.20	50.00	2.50	4.80-5.00


SEC. NO. : 19390

BIG HOLLOW - Z CLIP



WEIGHT. : .950-1.050 KG / 12'


SMALL HOLLOW - Z



SEC. NO.	A	B	T	WEIGHT/12'
3335	92.00	69.70	1.20	1.70-2.00
3336	36.00	57.00	1.40	2.00-2.50
3337	36.00	57.00	1.60	2.60-2.90

SEC. NO. : 3352


SMALL MULLION



WEIGHT. : 2.60-3.00 KG / 12'

SEC. NO. : 3356

LAME-Z



WEIGHT. : 1.80-2.20 KG / 12'




CASEMENT WINDOW SECTION

ARCHITECTURAL

SEC. NO. : 3050


BOX-Z



WEIGHT. : 2.30-2.80 KG / 12'

SEC. NO. : 3345

Z-INNER




WEIGHT. : 2.40-2.80 KG / 12'

42 MM SERIES

SEC. NO. : 3332


Z-OUTER FRAME



WEIGHT. : 1.80-2.10 KG / 12'

SEC. NO. : 3353


MULLION



WEIGHT. : 2.40-2.80 KG / 12'


SEC. NO. : 3331

Z-CLIP



WEIGHT. : 0.90-1.00 KG / 12'

SEC. NO. : 1733



WEIGHT. : 0.45-0.50 KG / 12'




CASEMENT WINDOW SECTION

ARCHITECTURAL


SEC. NO. : 3357

LAME-Z



WEIGHT. : 1.90-2.10 KG / 12'


SEC. NO. : 3348



WEIGHT. : 2.00-2.30 KG / 12'

SEC. NO. : 2025

Z-ZALI



WEIGHT. : 2.70-2.80 KG / 12'




CASEMENT WINDOW SECTION

ARCHITECTURAL

34 MM SERIES


SEC. NO. : 3354

MULLION



WEIGHT. : 2.50-2.80 KG / 12'


SEC. NO. : JE-279



WEIGHT. : 1.50-1.80 KG / 12'

SEC. NO. : JE-278


OUTER



WEIGHT. : 1.90-2.10 KG / 12'

SEC. NO. : JE-195

MULLION



WEIGHT. : 2.70-3.00 KG / 12'



JHALANI EXTRUSION

(A UNIT OF P.R.C.M. METAL)


C-36, Riico Industrial Area, Neemrana, District : Alwar, (Raj.) 301705
Contact : 9716031516, 09953239231 E-Mail : jhalaniextrusion@yahoo.com

CASEMENT WINDOW SECTION

ARCHITECTURAL


Z - SERIES

SEC. NO. : JE-009




WEIGHT. : 5.70-6.00 KG / 12'

SEC. NO. : JD-011




WEIGHT. : 5.70-6.00 KG / 12'

SEC. NO. : JE-041



WEIGHT. : 3.80-4.00 KG / 12'

SEC. NO. : JE-031



WEIGHT. : 4.00-4.50 KG / 12'




CASEMENT WINDOW SECTION

ARCHITECTURAL

Z - SERIES

SEC. NO. : JE-053


DOUBLE PARTITION



WEIGHT. : 4.00-4.40 KG / 12'


SEC. NO. : JE-055

SINGLE PARTITION




WEIGHT. : 3.50-3.80 KG / 12'

SEC. NO. : 2014



WEIGHT. : 2.50-2.70 KG / 12'


SEC. NO. : JE-054



WEIGHT. : 0.950-1.50 KG / 12'


SEC. NO. : 5056

40 MM SHUTTER FRAME



WEIGHT. : 2.10-2.40 KG / 12'

SEC. NO. : 5055



WEIGHT. : 0.650-0.750 KG / 12'




CASEMENT WINDOW SECTION

ARCHITECTURAL


50 MM SERIES

SEC. NO. : 7447




WEIGHT. : 0.895 KG / 12'

SEC. NO. : 6166




WEIGHT. : 4.195 KG / 12'

SEC. NO. : 7446




WEIGHT. : 3.015 KG / 12'

SEC. NO. : 6164



WEIGHT. : 5.100 KG / 12'

SEC. NO. : 6160



WEIGHT. : 5.120 KG / 12'




CASEMENT WINDOW SECTION

ARCHITECTURAL


50 MM SERIES

SEC. NO. : 6165



WEIGHT. : 4.915 KG / 12'

SEC. NO. : 6119



WEIGHT. : 7.890 KG / 12'




CASEMENT WINDOW SECTION

ARCHITECTURAL


40 MM SERIES

SEC. NO. : JD-428




WEIGHT. : 2.00-2.200 KG / 12'

SEC. NO. : JD-427




WEIGHT. : 2.700-3.100 KG / 12'

SEC. NO. : 8556




WEIGHT. : 3.160 KG / 12'

SEC. NO. : 8557




WEIGHT. : 2.800 KG / 12'

SEC. NO. : 8561



WEIGHT. : 3.160 KG / 12'

SEC. NO. : 8561-A




WEIGHT. : 0.830 KG / 12'



CASEMENT WINDOW SECTION


ARCHITECTURAL

SEC. NO. : 8545




WEIGHT. : 2.866 KG / 12'

SEC. NO. : 8546




WEIGHT. : 2.713 KG / 12'

SEC. NO. : 8547




WEIGHT. : 2.173 KG / 12'

SEC. NO. : 8548




WEIGHT. : 2.066 KG / 12'

SEC. NO. : 8549



WEIGHT. : 2.342 KG / 12'

SEC. NO. : 8550



WEIGHT. : 2.175 KG / 12'



JHALANI EXTRUSION

(A UNIT OF P.R.C.M. METAL)


C-36, Riico Industrial Area, Neemrana, District : Alwar, (Raj.) 301705
Contact : 9716031516, 09953239231 E-Mail : jhalaniextrusion@yahoo.com

DOMAL SECTION


ARCHITECTURAL

29 MM SERIES

SEC. NO. : 7460




WEIGHT. : 1.365 KG / 12'




SECTION FITTING : 7460 & 8564

SEC. NO. : 8563




WEIGHT. : 3.310 KG / 12'

SEC. NO. : 7462




WEIGHT. : 4.550 KG / 12'




SECTION FITTING : 7462 & 8563

SEC. NO. : 7463



WEIGHT. : 0.410 KG / 12'

SEC. NO. : 8563



WEIGHT. : 3.510 KG / 12'



JHALANI EXTRUSION

(A UNIT OF P.R.C.M. METAL)

C-36, Riico Industrial Area, Neemrana, District : Alwar, (Raj.) 301705


Contact : 9716031516, 09953239231 E-Mail : jhalaniextrusion@yahoo.com

DOMAL SECTION

ARCHITECTURAL

29 MM SERIES

SEC. NO. : 7461 & 6169




WEIGHT. : 6.860 KG / 12'



DOMAL SECTION


ARCHITECTURAL

SEC. NO. : JD-429




WEIGHT. : 2.80-3.00 KG / 12'

SEC. NO. : JD-426



WEIGHT. : 4.20-4.40 KG / 12'


SEC. NO. : JD-425



WEIGHT. : 3.00-3.20 KG / 12'

SEC. NO. : JD-430


FITTING WITH JD-425



WEIGHT. : 1.10-1.30 KG / 12'

SEC. NO. : JE-425

FITTING WITH JD-428



WEIGHT. : 0.850-0.900 KG / 12'



JHALANI EXTRUSION

(A UNIT OF P.R.C.M. METAL)


C-36, Riico Industrial Area, Neemrana, District : Alwar, (Raj.) 301705

Contact : 9716031516, 09953239231 E-Mail : jhalaniextrusion@yahoo.com


DOMAL SECTION (37 MM)

ARCHITECTURAL

SEC. NO. : 6211




WEIGHT. : 8.930 KG / 16'




SECTION FITTING : 7503 & 6211 , 6212

SEC. NO. : 7503




WEIGHT. : 0.872 KG / 16'

SEC. NO. : 6212




WEIGHT. : 13.500 KG / 16'

SEC. NO. : 6213



SEC. NO. : 6214




WEIGHT. : 6.130 KG / 16'



DOMAL SECTION (37 MM)


ARCHITECTURAL

SEC. NO. : 6215




WEIGHT. : 7.000 KG / 16'

SEC. NO. : 6216




WEIGHT. : 2.350 KG / 16'

SEC. NO. : 7501




WEIGHT. : 2.375 KG / 16'



SECTION FITTING : 6215 & 6216 , 7502

SEC. NO. : 7502




WEIGHT. : 0.560 KG / 16'



CURTAIN WALL SECTION


ARCHITECTURAL

SEC. NO. : 6016




WEIGHT : 8.900 KG / 12'

SEC. NO. : 6009




WEIGHT : 9.520 KG / 12'




SEC. NO.	A	B	C	T	WEIGHT/12'
6018	131.16	38.00	100	1.80	6.180
6014	131.16	38.50	100	2.00	6.910

SEC. NO. : 6017




WEIGHT : 7.500 KG / 12'

SEC. NO. : 6033



WEIGHT : 8.130 KG / 12'




SEC. NO.	A	B	C	T	WEIGHT/12'
6020	151.00	67.00	119.84	2.00	8.800
6020	151.00	67.00	119.84	2.80	11.500



CURTAIN WALL SECTION


ARCHITECTURAL

SEC. NO. : 6021




WEIGHT : 9.440 KG / 12'

SEC. NO. : 6019




WEIGHT : 8.160 KG / 12'

SEC. NO. : 6036




WEIGHT : 6.650 KG / 12'


SEC. NO. : 8356



WEIGHT : 4.910 KG / 12'



SEC. NO. : 6067



WEIGHT : 20.690 KG / 12'


SEC. NO.	A	B	T	WEIGHT/12'
NS-36	130.02	55	2.00	8.319
5560	104	55	1.80	6.70-7.0
5561	104	55	3.00	9.80-10.20
5562	104	55	4.00	13.80-14.20



CURTAIN WALL SECTION


ARCHITECTURAL

SEC. NO. : 6072




WEIGHT : 8.700 KG / 12'

SEC. NO. : 8051




WEIGHT : 5.973 KG / 12'

SEC. NO. : NS-35




WEIGHT : 5.868 KG / 12'

SEC. NO. : 8509




WEIGHT : 2.230 KG / 12'

SEC. NO. : 8117



WEIGHT : 2.200 KG / 12'

SEC. NO. : 13110




WEIGHT : 4.900 KG / 12'



CURTAIN WALL SECTION


ARCHITECTURAL

SEC. NO. : 6012




WEIGHT : 14.500 KG / 12'

SEC. NO. : 6013




WEIGHT : 7.250 KG / 12'

SEC. NO. : 6015




WEIGHT : 12.040 KG / 12'




SEC. NO.	A	B	T	WEIGHT/12'
JE-251	91.00	25.00	1.20	2.80-3.00
JE-252	82.81	27.50	1.40	3.0-3.20

SEC. NO. : 7078



WEIGHT : 2.750 KG / 12'

SEC. NO. : JE-255




WEIGHT : 2.5-2.8 KG / 12'



CURTAIN WALL SECTION


ARCHITECTURAL

SEC. NO. : 8423




WEIGHT : 6.950 KG / 12'

SEC. NO. : 8424




WEIGHT : 2.950 KG / 12'

SEC. NO. : 7079




WEIGHT : 2.350 KG / 12'

SEC. NO. : NS-28




WEIGHT : 9.298 KG / 12'

SEC. NO. : 7153




WEIGHT : 1.940 KG / 12'

SEC. NO. : NS-13



WEIGHT : 10.752 KG / 12'

SEC. NO. : 7154




WEIGHT : 1.160 KG / 12'



CURTAIN WALL SECTION


ARCHITECTURAL

SEC. NO. : 14500




WEIGHT : 1.00-1.10 KG / 12'

SEC. NO. : 14510




WEIGHT : 1.70-1.90 KG / 12'

SEC. NO. : NS-40



WEIGHT : 8.511 KG / 12'

SEC. NO. : 6098




WEIGHT : 10.795 KG / 12'



CURTAIN WALL SECTION


ARCHITECTURAL

SEC. NO. : 6108




WEIGHT : 8.800 KG / 12'

SEC. NO. : 6117



WEIGHT : 9.625 KG / 12'

SEC. NO. : 6122




WEIGHT : 8.915 KG / 12'



CURTAIN WALL SECTION


ARCHITECTURAL

SEC. NO. : 6118




WEIGHT : 12.365 KG / 12'

SEC. NO. : 6134




WEIGHT : 16.587 KG / 12'



SECTION FITTING : **6134** & 6135

SEC. NO. : 6135




WEIGHT : 3.560 KG / 12'



CURTAIN WALL SECTION


ARCHITECTURAL

SEC. NO. : 6146




WEIGHT : 10.320 KG / 12'

SEC. NO. : 6154




WEIGHT. : 6.765 KG / 12'

SEC. NO. : 7434



WEIGHT. : 2.300 KG / 12'




SECTION FITTING : 7434 & 6154



CURTAIN WALL SECTION


ARCHITECTURAL

SEC. NO. : 6068



WEIGHT. : 6.625 KG / 12'

SEC. NO. : 6037




WEIGHT. : 8.070 KG / 12'




CURTAIN WALL SECTION

ARCHITECTURAL




SECTION FITTING : **7338** & 6037

SEC. NO. : 7338



WEIGHT. : 3.600 KG / 12'

SEC. NO. : 6140




WEIGHT. : 7.680 KG / 12'



CURTAIN WALL SECTION


ARCHITECTURAL

SEC. NO. : 6141



WEIGHT. : 5.975 KG / 12'

SEC. NO. : 6142




WEIGHT. : 8.460 KG / 12'

CURTAIN WALL SECTION


ARCHITECTURAL

SEC. NO. : 6143



WEIGHT.: 10.040 KG / 12'

SEC. NO. : 6144




WEIGHT. : 7.840 KG / 12'



CURTAIN WALL SECTION


ARCHITECTURAL

SEC. NO. : 6194



WEIGHT. : 7.622 KG / 12'

SEC. NO. : 6193



WEIGHT. : 7.785 KG / 12'




CURTAIN WALL SECTION

ARCHITECTURAL

SEC. NO. : 6203


JINDAL SEC. NO. : S6457



WEIGHT. : 8.297 KG / 12'

SEC. NO. : 6204

JINDAL SEC. NO. : 35504




WEIGHT. : 10.909 KG / 12'



CURTAIN WALL SECTION


ARCHITECTURAL

SEC. NO. : 6209



WEIGHT. : 6.932 KG / 12'

SEC. NO. : 6210




WEIGHT. : 9.564 KG / 12'



CURTAIN WALL SECTION


ARCHITECTURAL

SEC. NO. : 6230



WEIGHT. : 14.095 KG / 12'

SEC. NO. : 6231




WEIGHT. : 7.146 KG / 12'



CURTAIN WALL SECTION


ARCHITECTURAL

SEC. NO. : 6243




WEIGHT. : 8.825 KG / 12'

SEC. NO. : 8565




WEIGHT. : 5.255 KG / 12'

SEC. NO. : 7497



WEIGHT. : 0.905 KG / 12'

SEC. NO. : 7496




WEIGHT. : 0.989 KG / 12'



CURTAIN WALL SECTION


ARCHITECTURAL

SEC. NO. : 8566



WEIGHT. : 5.255 KG / 12'

SEC. NO. : 6270




WEIGHT. : 10.434 KG / 12'



CURTAIN WALL SECTION


ARCHITECTURAL

SEC. NO. : 6272



WEIGHT. : 9.213 KG / 12'

SEC. NO. : 6273




WEIGHT. : 6.248 KG / 12'



CURTAIN WALL SECTION

ARCHITECTURAL

SEC. NO. : 6277




WEIGHT. : 11.480 KG / 12'



HEAT-SINK SECTION


INDUSTRIAL

SEC. NO. : 6104




WEIGHT. : 16.010 KG / 12'

SEC. NO. : 7378




WEIGHT. : 1.630 KG / 12'

SEC. NO. : 7400




WEIGHT. : 3.855 KG / 12'

SEC. NO. : 7343



WEIGHT. : 3.830 KG / 12'

SEC. NO. : 7399



WEIGHT. : 2.820 KG / 12'



JHALANI EXTRUSION

(A UNIT OF P.R.C.M. METAL)


C-36, Riico Industrial Area, Neemrana, District : Alwar, (Raj.) 301705

Contact : 9716031516, 09953239231 E-Mail : jhalaniextrusion@yahoo.com

HEAT-SINK SECTION


INDUSTRIAL

SEC. NO. : 7342




WEIGHT. : 5.730 KG / 12'

SEC. NO. : 7402




WEIGHT. : 0.900 KG / 12'

SEC. NO. : 7401




WEIGHT. : 3.610 KG / 12'

SEC. NO. : 7346-R



WEIGHT. : 4.590 KG / 12'

SEC. NO. : 6057



WEIGHT. : 25.950 KG / 12'


ALL DIMENSIONS ARE IN M.M.



HEAT-SINK SECTION


INDUSTRIAL

SEC. NO. : 6055




WEIGHT. : 11.500 KG / 12'

SEC. NO. : 6054




WEIGHT. : 10.300 KG / 12'

SEC. NO. : 7344-R



WEIGHT. : 5.810 KG / 12'

SEC. NO. : 7350




WEIGHT. : 6.700 KG / 12'



HEAT-SINK SECTION


INDUSTRIAL

SEC. NO. : 7347-R




WEIGHT. : 1.200 KG / 12'

SEC. NO. : 7345-R




WEIGHT. : 0.430 KG / 12'

SEC. NO. : 7341-R




WEIGHT. : 2.400 KG / 12'

SEC. NO. : 7339




WEIGHT. : 0.700 KG / 12'

SEC. NO. : 7340



WEIGHT. : 0.580 KG / 12'

SEC. NO. : 7334



WEIGHT. : 4.985 KG / 12'



JHALANI EXTRUSION

(A UNIT OF P.R.C.M. METAL)


C-36, Riico Industrial Area, Neemrana, District : Alwar, (Raj.) 301705

Contact : 9716031516, 09953239231 E-Mail : jhalaniextrusion@yahoo.com

HEAT-SINK SECTION


INDUSTRIAL

SEC. NO. : 7335




WEIGHT. : 6.180 KG / 12'

SEC. NO. : JE-015




WEIGHT. : 7.50-7.90 KG / 12'

SEC. NO. : JE-020



WEIGHT. : 20.00-20.500 KG / 12'

SEC. NO. : JE-011




WEIGHT. : 7.400-7.800 KG / 12'



HEAT-SINK SECTION


INDUSTRIAL

SEC. NO. : 7398




WEIGHT. : 5.270 KG / 12'

SEC. NO. : 7471




WEIGHT. : 5.665 KG / 12'

SEC. NO. : 6186



WEIGHT. : 15.695 KG / 12'

SEC. NO. : 6189




WEIGHT. : 8.490 KG / 12'



HEAT-SINK SECTION


INDUSTRIAL

SEC. NO. : 6190




WEIGHT. : 6.015 KG / 12'

SEC. NO. : 7474




WEIGHT. : 4.520 KG / 12'

SEC. NO. : 7476




WEIGHT. : 2.340 KG / 12'

SEC. NO. : 7482



WEIGHT. : 6.635 KG / 12'

SEC. NO. : 7507



WEIGHT. : 1.177 KG / 12'



JHALANI EXTRUSION


(A UNIT OF P.R.C.M. METAL)

C-36, Riico Industrial Area, Neemrana, District : Alwar, (Raj.) 301705
Contact : 9716031516, 09953239231 E-Mail : jhalaniextrusion@yahoo.com

BLIND SECTION


ARCHITECTURAL

SEC. NO. : 7353




WEIGHT. : 1.00 KG / 12'

SEC. NO. : 7352




WEIGHT. : 1.20 KG / 12'

SEC. NO. : 7323




WEIGHT. : 1.150 KG / 15'

SEC. NO. : 7320




WEIGHT. : 0.880 KG / 12'

SEC. NO. : 7318




WEIGHT. : 0.830 KG / 12'

SEC. NO. : 7317




WEIGHT. : 2.0 KG / 12'

SEC. NO. : 7308




WEIGHT. : 1.35 KG / 12'

SEC. NO. : 7299




WEIGHT. : 1.140 KG / 12'

SEC. NO. : 7274




WEIGHT. : 4.320 KG / 12'

SEC. NO. : 7256




WEIGHT. : 0.880 KG / 12'

SEC. NO. : 7244



WEIGHT. : 0.600 KG / 15'

SEC. NO. : 7232



WEIGHT. : 1.250 KG / 15'


ALL DIMENSIONS ARE IN M.M.



BLIND SECTION


ARCHITECTURAL

SEC. NO. : 7319




WEIGHT. : 1.793 KG / 12'

SEC. NO. : 7228




WEIGHT. : 2.600 KG / 12'

SEC. NO. : 7227




WEIGHT. : 0.286 KG / 12'

SEC. NO. : 7226




WEIGHT. : 0.717 KG / 12'

SEC. NO. : 7215




WEIGHT. : 0.775 KG / 12'




SEC. NO.	A	B	T	WEIGHT
7218	16.30	22.00	1.00	0.700/12'
7220	16.30	22.00	0.63	0.620/15'
7221	16.30	22.00	0.75	0.700/15'

SEC. NO. : 7214




WEIGHT. : 1.10 KG / 15'

SEC. NO. : 7213



WEIGHT. : 0.980 KG / 12'

SEC. NO. : 7106




WEIGHT. : 1.050 KG / 15'



BLIND SECTION


ARCHITECTURAL

SEC. NO. : 8368




WEIGHT. : 1.950 KG / 12'

SEC. NO. : 7178




WEIGHT. : 1.710 KG / 12'

SEC. NO. : 7137




WEIGHT. : 3.900 KG / 12'

SEC. NO. : 7158




WEIGHT. : 0.950 KG / 15'

SEC. NO. : 7177




WEIGHT. : 0.940 KG / 12'

SEC. NO. : 7121




WEIGHT. : 0.410 KG / 12'

SEC. NO. : 7084




WEIGHT. : 0.550 KG / 12'

SEC. NO. : 7068




WEIGHT. : 0.150 KG / 12'

SEC. NO. : 7057




WEIGHT. : 0.800 KG / 12'

SEC. NO. : 7031



WEIGHT. : 0.256 KG / 12'

SEC. NO. : 7030




WEIGHT. : 0.111 KG / 12'



BLIND SECTION


ARCHITECTURAL

SEC. NO. : 7025




WEIGHT. : 1.00 KG / 15'

SEC. NO. : 7022




WEIGHT. : 1.960 KG / 12'

SEC. NO. : 7008




WEIGHT. : 1.750 KG / 12'

SEC. NO. : 7005




WEIGHT. : 0.465 KG / 12'

SEC. NO. : 7004




WEIGHT. : 0.890 KG / 12'

SEC. NO. : 7003




WEIGHT. : 1.100 KG / 15'

SEC. NO. : 7002




WEIGHT. : 0.945 KG / 12'

SEC. NO. : 7001



WEIGHT. : 0.615 KG / 12'

SEC. NO. : 7217




WEIGHT. : 0.716 KG / 12'



BLIND SECTION


ARCHITECTURAL

SEC. NO. : 7212




WEIGHT. : 0.375 KG / 12'

SEC. NO. : 7216




WEIGHT. : 0.650 KG / 12'

SEC. NO. : 7219




WEIGHT. : 1.390 KG / 12'

SEC. NO. : 7465




WEIGHT. : 1.860 KG / 12'

SEC. NO. : 7433



WEIGHT. : 0.545 KG / 12'

SEC. NO. : 7517




WEIGHT. : 2.059 KG / 12'



GATE & RAILING SECTION


ARCHITECTURAL

SEC. NO. : 6010




WEIGHT. : 5.140 KG / 12'

SEC. NO. : 8354-R



WEIGHT. : 4.080 KG / 12'

SEC. NO. : 8354




WEIGHT. : 5.180 KG / 12'



GATE & RAILING SECTION


ARCHITECTURAL

SEC. NO. : 6035




WEIGHT. : 7.083 KG / 12'

SEC. NO. : 8471-R



WEIGHT. : 5.270 KG / 12'

SEC. NO. : 8467




WEIGHT. : 9.720 KG / 12'



GATE & RAILING SECTION


ARCHITECTURAL

SEC. NO. : 6045




WEIGHT. : 4.815 KG / 12'

SEC. NO. : 8441



WEIGHT. : 3.470 KG / 12'

SEC. NO. : 8442




WEIGHT. : 4.250 KG / 12'



GATE & RAILING SECTION


ARCHITECTURAL

SEC. NO. : 8469




WEIGHT. : 2.350 KG / 12'

SEC. NO. : 8388



WEIGHT. : 5.250 KG / 12'

SEC. NO. : 8387




WEIGHT. : 3.400 KG / 12'



GATE & RAILING SECTION


ARCHITECTURAL

SEC. NO. : 8432




WEIGHT. : 6.700 KG / 12'

SEC. NO. : 6053



WEIGHT. : 3.570 KG / 12'

SEC. NO. : 6010-R




WEIGHT. : 3.060 KG / 12'



GATE & RAILING SECTION


ARCHITECTURAL

SEC. NO. : 6105




WEIGHT. : 2.970 KG / 12'

SEC. NO. : 6101



WEIGHT. : 5.600 KG / 12'

SEC. NO. : 6147




WEIGHT. : 3.000 KG / 12'



GATE & RAILING SECTION


ARCHITECTURAL

SEC. NO. : 6148




WEIGHT. : 3.045 KG / 12'

SEC. NO. : 8157




WEIGHT. : 2.820-3.000 KG / 12'

SEC. NO. : 7117



WEIGHT. : 3.300-3.500 KG / 12'

SEC. NO. : 6156




WEIGHT. : 3.660 KG / 12'



GATE & RAILING SECTION


ARCHITECTURAL

SEC. NO. : 8462




WEIGHT. : 8.300-8.650 KG / 12'

SEC. NO. : 7419




WEIGHT. : 1.165 KG / 12'

SEC. NO. : 7420




WEIGHT. : 1.855 KG / 12'

SEC. NO. : 6157



WEIGHT. : 9.040 KG / 12'

SEC. NO. : 6173




WEIGHT. : 13.915 KG / 12'



GATE & RAILING SECTION


ARCHITECTURAL

SEC. NO. : 6183




WEIGHT. : 3.100 KG / 12'

SEC. NO. : 6184



WEIGHT. : 5.370KG / 12'

SEC. NO. : 6185




WEIGHT. : 4.065 KG / 12'



GATE & RAILING SECTION


ARCHITECTURAL

SEC. NO. : 6196




WEIGHT. : 4.010 KG / 12'

SEC. NO. : 7307-R




WEIGHT. : 2.737 KG / 12'

SEC. NO. : 6206



WEIGHT. : 15.290 KG / 12'

SEC. NO. : 8532




WEIGHT. : 3.952 KG / 12'



GATE & RAILING SECTION


ARCHITECTURAL

SEC. NO. : 6223



WEIGHT. : 3.858 KG / 12'

SEC. NO. : 6197




WEIGHT. : 4.357 KG / 12'



GATE & RAILING SECTION


ARCHITECTURAL

SEC. NO. : 7483




WEIGHT. : 2.105 KG / 12'

SEC. NO. : 8555



WEIGHT. : 4.775 KG / 12'

SEC. NO. : 6250




WEIGHT. : 2.380 KG / 12'



GATE & RAILING SECTION


ARCHITECTURAL

SEC. NO. : 6252




WEIGHT. : 3.870 KG / 12'

SEC. NO. : 6253



WEIGHT. : 5.000 KG / 12'

SEC. NO. : 6256




WEIGHT. : 4.780 KG / 12'



GATE & RAILING SECTION


ARCHITECTURAL

SEC. NO. : 6271




WEIGHT. : 4.700 KG / 12'

SEC. NO. : 6284



WEIGHT. : 4.050 KG / 12'

SEC. NO. : 8596




WEIGHT. : 2.812 KG / 12'



GATE & RAILING SECTION


ARCHITECTURAL

SEC. NO. : 7590




WEIGHT. : 0.810 KG / 12'

SEC. NO. : 7591



WEIGHT. : 1.211 KG / 12'



FITTING 7590 & 7591



JHALANI EXTRUSION


(A UNIT OF P.R.C.M. METAL)

C-36, Riico Industrial Area, Neemrana, District : Alwar, (Raj.) 301705
Contact : 9716031516, 09953239231 E-Mail : jhalaniextrusion@yahoo.com

MOTOR BODY SECTION


INDUSTRIAL

SEC. NO. : 6034



WEIGHT. : 7.670 KG / 12'

SEC. NO. : 6032-R



WEIGHT. : 15.750 KG / 12'


ALL DIMENSIONS ARE IN M.M.



MOTOR BODY SECTION


INDUSTRIAL

SEC. NO. : 6058



WEIGHT. : 9.516 KG / 12'

SEC. NO. : 6083



WEIGHT. : 9.105 KG / 12'



JHALANI EXTRUSION

(A UNIT OF P.R.C.M. METAL)


C-36, Riico Industrial Area, Neemrana, District : Alwar, (Raj.) 301705

Contact : 9716031516, 09953239231 E-Mail : jhalaniextrusion@yahoo.com

MOTOR BODY SECTION


INDUSTRIAL

SEC. NO. : 6106



WEIGHT. : 16.130 KG / 12'

SEC. NO. : 6070



WEIGHT. : 7.685 KG / 12'



JHALANI EXTRUSION

(A UNIT OF P.R.C.M. METAL)


C-36, Riico Industrial Area, Neemrana, District : Alwar, (Raj.) 301705

Contact : 9716031516, 09953239231 E-Mail : jhalaniextrusion@yahoo.com

MOTOR BODY SECTION

INDUSTRIAL

SEC. NO. : 6192



WEIGHT. : 12.958 KG / 12'

ALL DIMENSIONS ARE IN M.M.


Page No. - 105



MOTOR BODY SECTION

INDUSTRIAL

SEC. NO. : 6208



WEIGHT. : 9.530 KG / 12'



JHALANI EXTRUSION

(A UNIT OF P.R.C.M. METAL)


C-36, Riico Industrial Area, Neemrana, District : Alwar, (Raj.) 301705

Contact : 9716031516, 09953239231 E-Mail : jhalaniextrusion@yahoo.com

MOTOR BODY SECTION

INDUSTRIAL

SEC. NO. : 6227-R



WEIGHT. : 10.977 KG / 12'

ALL DIMENSIONS ARE IN M.M.

Page No. - 107



JHALANI EXTRUSION

(A UNIT OF P.R.C.M. METAL)


C-36, Riico Industrial Area, Neemrana, District : Alwar, (Raj.) 301705

Contact : 9716031516, 09953239231 E-Mail : jhalaniextrusion@yahoo.com

MOTOR BODY SECTION

INDUSTRIAL

SEC. NO. : 6229-R



WEIGHT. : 14.095 KG / 12'

ALL DIMENSIONS ARE IN M.M.


Page No. - 108



SLIM SECTION


ARCHITECTURAL

SEC. NO. : 7260




WEIGHT. : 2.340 KG / 12'

SEC. NO. : 7261




WEIGHT. : 2.110 KG / 12'

SEC. NO. : 7262




WEIGHT. : 2.560 KG / 12'

SEC. NO. : 7381




WEIGHT. : 1.880 KG / 12'

SEC. NO. : 7524




WEIGHT. : 1.889 KG / 12'

SEC. NO. : 7525



WEIGHT. : 0.654 KG / 12'




SECTION FITTING **7524** & **7525**



BAFFLE PROFILES


ARCHITECTURAL

SEC. NO. : 6068



WEIGHT. : 6.625 KG / 12'

SEC. NO. : 8439



WEIGHT. : 7.350 KG / 12'



JHALANI EXTRUSION


(A UNIT OF P.R.C.M. METAL)

C-36, Riico Industrial Area, Neemrana, District : Alwar, (Raj.) 301705
Contact : 9716031516, 09953239231 E-Mail : jhalaniextrusion@yahoo.com

BAFFLE PROFILES


ARCHITECTURAL

SEC. NO. : 8517




WEIGHT. : 3.485 KG / 12'

SEC. NO. : 8521



WEIGHT. : 2.775 KG / 12'

SEC. NO. : 7151




WEIGHT. : 3.650 KG / 12'



BAFFLE PROFILES


ARCHITECTURAL

SEC. NO. : 6264



WEIGHT. : 5.330 KG / 12'

SEC. NO. : 8569




WEIGHT. : 4.145 KG / 12'



BAFFLE PROFILES

ARCHITECTURAL

SEC. NO. : 8570




WEIGHT. : 3.255 KG / 12'



KITCHEN SECTION


ARCHITECTURAL

SEC. NO. : 7060




WEIGHT. : 0.890 KG / 12'

SEC. NO. : 7061




WEIGHT. : 0.310 KG / 12'

SEC. NO. : 7009 / 8221



WEIGHT. : 1.800 KG / 13'

SEC. NO. : 7010 / 8223



WEIGHT. : 1.100 KG / 13'


SR. NO.	SET	WEIGHT
1	8221+8223 / 7009+7010	2.600 / 13
2	8221+8223 / 7009+7010	2.400 - 2.500 / 13'
3	8221+8223 / 7009+7010	3.100 / 13'



KITCHEN SECTION


ARCHITECTURAL

SEC. NO. : 7060




WEIGHT. : 0.890 KG / 12'

SEC. NO. : 7061



WEIGHT. : 0.310 KG / 12'

SEC. NO. : 7009 / 8221



WEIGHT. : 1.800 KG / 13'


SR. NO.	SET	WEIGHT
1	8221+7060+7061	2.800 / 13'
2	8221+7060+7061	3.100 / 13'



KITCHEN SECTION


ARCHITECTURAL

SEC. NO. : 7006



WEIGHT. : 1.385 KG / 12'


SEC. NO. : 7007



WEIGHT. : 1.147 KG / 12'


SR. NO.	SET	WEIGHT
1	7006+7007	2.800 / 13'
2	7006+7007	2.400 / 13'

SEC. NO. : 7467



WEIGHT. : 1.970 KG / 12'

SEC. NO. : 7421




WEIGHT. : 2.850 KG / 12'



KITCHEN SECTION


ARCHITECTURAL

SEC. NO. : 7011




WEIGHT. : 1.100 KG / 13'

SEC. NO. : 7012




WEIGHT. : 1.100 KG / 13'

SEC. NO. : 7268




WEIGHT. : 1.830 KG / 12'

SEC. NO. : 7269




WEIGHT. : 1.320 KG / 12'

SEC. NO. : 7272



WEIGHT. : 2.230 KG / 12'

SEC. NO. : 7273




WEIGHT. : 2.540 KG / 12'



KITCHEN SECTION


ARCHITECTURAL

SEC. NO. : 7026 / 7266




WEIGHT. : 1.00 KG / 13'

SEC. NO. : 7034



WEIGHT. : 2.400 KG / 13'

SEC. NO. : 7274




WEIGHT. : 4.320 KG / 12'



LADDER SECTION


ARCHITECTURAL

SEC. NO. : 7040




WEIGHT. : 1.500 KG / 12'

SEC. NO. : 7286



WEIGHT. : 1.910 KG / 12'

SEC. NO. : 7287



WEIGHT. : 2.185 KG / 12'



JHALANI EXTRUSION


(A UNIT OF P.R.C.M. METAL)

C-36, Riico Industrial Area, Neemrana, District : Alwar, (Raj.) 301705
Contact : 9716031516, 09953239231 E-Mail : jhalaniextrusion@yahoo.com

LOUVER SECTION


ARCHITECTURAL

SEC. NO. : JE-267




WEIGHT. : 1.550 KG / 12'

SEC. NO. : 8512




WEIGHT. : 1.965 KG / 12'

SEC. NO. : 8195




WEIGHT. : 1.415 KG / 12'

SEC. NO. : 8515



WEIGHT. : 3.025 KG / 12'

SEC. NO. : JE-295



WEIGHT. : 2.300 KG / 12'



JHALANI EXTRUSION


(A UNIT OF P.R.C.M. METAL)

C-36, Riico Industrial Area, Neemrana, District : Alwar, (Raj.) 301705
Contact : 9716031516, 09953239231 E-Mail : jhalaniextrusion@yahoo.com

LOUVER SECTION


ARCHITECTURAL

SEC. NO. : 8574



WEIGHT. : 1.610 KG / 12'

SEC. NO. : 8194



WEIGHT. : 4.480 KG / 15'